



# Deadbolts



ASSA ABLOY

ASSA ABLOY, the global leader  
in door opening solutions

<b>Paradigm® 005 Deadbolt Series</b>	<b>2</b>
<b>Paradigm® 005 Deadbolt – Round Rose</b>	<b>3</b>
<b>Paradigm® 005 Deadbolt – Stainless Steel</b>	<b>5</b>
<b>Paradigm® 005 Deadbolt – Square Rose</b>	<b>5</b>
<b>Paradigm® 005 Deadbolt Style Guide</b>	<b>6 – 7</b>
<b>Symmetry 7106 Single Cylinder Deadbolt</b>	<b>8</b>
<b>Symmetry 7107 Double Cylinder Deadbolt</b>	<b>9</b>
<b>Symmetry 7108 Double Cylinder Deadbolt</b>	<b>10</b>
<b>Ordering Procedure</b>	<b>11</b>

Designed in Australia, the Lockwood range of deadbolts is manufactured according to stringent quality specifications to provide a complete range of security solutions for both the commercial and residential markets.

### Paradigm 005 Deadbolts

The Paradigm 005 Deadbolt range represents the pinnacle in deadbolt security products. Incorporating innovative safety features including Safety Release, LockAlert and DualSelect, the Paradigm range is ideal for residential and architectural applications.

### Symmetry Deadbolts

With advanced security features, the Symmetry range of deadbolts feature traditional styling and are available in a range of finishes to complement the Symmetry door furniture range. The Symmetry suite of door furniture and deadbolt products allow you to create an integrated look throughout the home.



## Paradigm® 005 Deadbolt Series

### Application

The Paradigm cylindrical deadbolt with **LOCKALERT** status indicator, **SAFETYRELEASE** and **DUALSELECT** locking is suitable for residential and architectural applications.

### Features & Specifications

- Multi-Mode Slimline Deadbolt providing Safety, Security and Convenience
- Advanced Safety features
- High security cut resistant stainless steel bolt
- Box strike with concealed cross grain door frame strengthening screw
- Meets Highest Security and Durability requirements in AS4145.2 – 1993 Locksets
- Adjustable 60mm – 70mm backset
- Fits standard door preparation – 54mm diameter cross bore hole
- Can be keyed alike to other Lockwood door locks

### Backset

60 to 70mm adjustable stainless steel bolt standard.

### Door Thickness

35 to 48mm.

### Cylinder

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

### Standard Finishes

Bright Chrome	CP
Satin Chrome	SC
Brushed Satin Chrome	LSC
Gold	GLD
Satin Stainless Steel	SSS*

\* Satin Stainless Steel Version only available in Style 1 – (Round Rose)

### Materials

- High purity zinc alloy roses and turnknobs
- 304 Grade satin stainless steel rose, turnknob and trim (satin stainless steel version only)

### Keying

#### Standard Keying

Supplied individually keyed with two keys per lock.

#### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

### Security

Paradigm 005 Deadbolt conforms to level S3. (Physical Security) Australian Lock Standard (AS 4145.2: 1993)

### Durability

Paradigm 005 Deadbolt conforms to level D3. (Durability) Australian Lock Standard (AS 4145.2: 1993)

### Anti-Corrosion




This product has been successfully tested in accordance with AS2332.3.1:2001. Neutral Salt Spray Test (NSS TEST)

Available in Stainless Steel for increased corrosion resistance



Paradigm 005 Deadbolt




Paradigm 005 Deadbolt – Safety features

**Secure Mode**  
Locked from both inside and outside

**Safety Mode**  
Locked from outside and free to exit from inside

**Passage Mode**  
Free to enter from outside and free to exit from inside



## Paradigm 005 Deadbolt

### DualSelect Locking

Two external locking modes – Safety Mode and Secure Mode.

By rotating the key 90° the bolt can be thrown achieving external security whilst the internal turnknob is free to exit (**Safety Mode**).

By rotating the key a further 45° to the second click, the bolt will now be secure on both sides of the door (**Secure Mode**).

### SafetyRelease

**SAFETYRELEASE** automatically unlocks the internal knob upon entry. This minimises the risk of being locked inside in the case of an emergency.

### LockAlert


The Paradigm 005 Deadbolt also has the unique Lockwood **LOCKALERT** status indicator that shows at a glance the lockset mode. The lockset can operate in three modes: **Secure Mode**, **Safety Mode** and **Passage Mode**.

### Counterbalance Bolt

The Paradigm 005 Deadbolt has been designed to achieve the highest possible Australian Standard door lock security rating via the Counterbalance Bolt, which proportionally distributes the load between the door and door frame.



Paradigm 005 Satin Stainless Steel Deadbolt



Paradigm 005 Satin Stainless Steel Deadbolt


**Outside**

- Locked or unlocked by key – Safety and Secure Modes
- Bolt holdback by key. (**Passage Mode**)

**Inside**

- Locked or unlocked by key. (**Secure Mode**)
- Locked by Turnknob. (**Safety Mode**)
- Bolt holdback by knob. (**Passage Mode**)

Paradigm 005 Square Rose Deadbolt



Paradigm 005 Square Rose Deadbolt

**Outside**

- Locked or unlocked by key – Safety and Secure Modes
- Bolt holdback by key. (**Passage Mode**)

**Inside**

- Locked or unlocked by key. (**Secure Mode**)
- Locked by Turnknob. (**Safety Mode**)
- Bolt holdback by knob. (**Passage Mode**)

## Paradigm® 005 Deadbolt Style Guide



The Paradigm 005 Deadbolt can be used with a range of Lockwood Door Furniture allowing you to create a contemporary, integrated look throughout the home.

### Paradigm 005 Deadbolt Style Guide – Round Rose

#### Meridion Handles

- 11 Handle Designs

Refer to the Meridion Door Furniture catalogue for handle designs.

- Matching Roses
- Standard Finishes – Bright Chrome, Satin Chrome, Gold

#### Symmetry Levers

- 2 Lever Designs
- Can be keyed alike to deadbolt

#### Symmetry Knobs

- 2 Knob Designs
- Can be keyed alike to deadbolt



## Paradigm® 005 Deadbolt Style Guide



### Paradigm 005 Deadbolt Style Guide – Square Rose

#### Daintree Handles

- 9 Handle Designs
- Matching Roses
- Standard Finishes – Bright Chrome, Brushed Satin Chrome, Satin Chrome, Gold

#### Symphony 1420 Handles

- 26 Lever Designs
- 1 Knob Design

## Symmetry 7106 Single Cylinder Deadbolt

### Features & Specifications

- General purpose single cylinder deadbolt
- Opened by key from outside and turnknob inside
- Suits left or right hand opening doors
- Solid brass bolt with 25mm projection
- Hardened insert in locking bolt

### Backset

Adjustable 60 – 70mm bolt.

### Door Thickness

30\* to 50mm.

\* Requires spacer ring (included).

### Cylinder

- The one cylinder assembly solution “OneCyl®” has been designed for the entire Lockwood Symmetry Range, which grants the convenience of cylinder interchangeability
- 5 pin Lockwood C4 brass cylinder assembly (6 pin compatible)

### Standard Finishes

Polished Brass	PB
Polished Stainless Steel	PSS
Satin Stainless Steel	SSS
Satin Chrome Plate	SCP

### Standard Keying


Supplied individually keyed with three keys per lock.

### Special Keying

- Can be keyed alike, construction keyed and is compatible with some restricted Lockwood profiles\*

\* See your sales office for details.

- To order, add keying code to part number



## Symmetry 7107 Double Cylinder Deadbolt

### Features & Specifications

- General purpose double cylinder deadbolt
- Opened by key from both inside and outside
- Suits left or right hand opening doors
- Solid brass bolt with 25mm projection
- Hardened insert in locking bolt

### Backset

Adjustable 60 – 70mm bolt.

### Door Thickness

30\* to 46mm.

\* Requires spacer ring (included).

### Cylinder

- The one cylinder assembly solution “OneCyl®” has been designed for the entire Lockwood Symmetry Range, which grants the convenience of cylinder interchangeability
- 5 pin Lockwood C4 brass cylinder assembly (6 pin compatible)

### Standard Finishes

Black Chrome Plate	BCP
EverBrass	EVB
Polished Stainless Steel	PSS
Satin Stainless Steel	SSS
Satin Chrome Plate	SCP

### Standard Keying


Supplied individually keyed with three keys per lock.

### Special Keying

- Can be keyed alike, construction keyed and is compatible with some restricted Lockwood profiles\*

\* See your sales office for details.

- To order, add keying code to part number



## Symmetry 7108 Double Cylinder Deadbolt

### Features & Specifications

- General purpose double cylinder deadbolt
- Hex head fixing for increased security
- Opened by key from both inside and outside
- Suits left or right hand opening doors
- Solid brass bolt with 25mm projection
- Hardened insert in locking bolt
- Uses "PD" type cylinder

### Backset

Adjustable 60 – 70mm bolt.

### Door Thickness

30<sup>^</sup> to 46mm.

<sup>^</sup>Requires spacer ring (included).

### Cylinder

- 5 pin Lockwood C4 brass cylinder assembly (6 pin compatible)
- "PD" type cylinder

### Standard Finishes

EverBrass	EVB
Polished Stainless Steel	PSS
Satin Stainless Steel	SSS
Satin Chrome Plate	SCP

### Standard Keying


Supplied individually keyed with three keys per lock.

### Special Keying

- Can be keyed alike, construction keyed and is compatible with some restricted Lockwood profiles\*

\* See your sales office for details.

- To order, add keying code to part number



## Ordering Procedure

Sample Part Number 005/B1SCDP is made up of several sections. Choose your product by selecting an option from each section.

For example:

### Paradigm 005 Deadbolt Range

Series	Type	Style	Finish	Packaging
005	B	1	SC	DP

Series	Finish
Paradigm® Deadbolt 005	Satin Chrome SC
	Brushed Satin Chrome LSC
	Bright Chrome CP
	Gold GLD
	Satin Stainless Steel SSS

\* Satin Stainless Steel Version only available in Style 1 – Round Rose.

Type	Finish
Bolt B	

Style	Packaging
Round 1	Display Pack DP
Square 2	Trade Pack

### Symmetry 7106 Single Cylinder Deadbolt

Available in Trade and Display Packs

Finish	Trade Pack	Display Pack
Polished Brass	7106PB	7106PBDP
Polished Stainless Steel	7106PSS	—
Satin Stainless Steel	7106SSS	7106SSSDP
Satin Chrome Plate	7106SCP	—

### Symmetry 7107 Double Cylinder Deadbolt

Available in Trade and Display Packs

Finish	Trade Pack	Display Pack
Black Chrome Plate	7107BCP	—
EverBrass	7107EVB	7107EVBDP
Polished Stainless Steel	7107PSS	7107PSSDP
Satin Stainless Steel	7107SSS	7107SSSDP
Satin Chrome Plate	7107SCP	—

### Symmetry 7108 Double Cylinder Deadbolt

Available in Trade and Display Packs

Finish	Trade Pack	Display Pack
EverBrass	7108EVB	—
Polished Stainless Steel	7108PSS	—
Satin Stainless Steel	7108SSS	—
Satin Chrome Plate	7108SCP	—

— Not available in Display Pack.

## Specification Service

For all Architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, Architectural Door Hardware specification can be prepared by Architectural Hardware Representatives.

## Quality Endorsed Company

SAI Global operates a program which assesses the quality procedures and capabilities of an organisation in terms of the requirements of specific Australian and International Standards for Quality Systems.



Following assessment by SAI Global, ASSA ABLOY Australia Pty Limited, 235 Huntingdale Rd, Oakleigh VIC 3166 have been granted a certificate

of registration as a quality endorsed company complying with the requirements of AS 3902/ISO 9001 – Quality Systems for Production and Installation.

## Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.

## Lockwood Guarantee and Care & Maintenance

Please go to lockweb.com.au for details on Lockwood Guarantee and product care & maintenance.